# INDICATION

Predo for the symptomatic treatment of inflammatory processes.

For the symptomatic treatment of allergic reac and anti-toxic effects. It is primarily indicated fo arthritis, synovitis, inflammation of tendon shea strains, itching, eczema, dermatitis, and as an adjuvant in infectious diseases.

STORAGE: Store in a cool place protected from light and below 25 C.

For Veterinary use Only

\*\*Keep out of reach of children



# PHARMACEUTICAL FORM SUSPENSION INJECTABLE IV. IM

Prednisolon Excipient

5 mg OSP 1 ml

DOSAGE

horses: 10ml / animal

Dogs: 0,5 - 1 ml / animal



## **PREDO 0.5**

### **COMPOSITION (Per ml):**

Prednisolone Acetate: 5 mg Excipients: q.s. to 1 ml.

#### PHARMACEUTICAL FORM:

Sterile injectable suspension for intravenous (IV) or intramuscular (IM) administration.

#### **INDICATIONS:**

Predo 0.5 is indicated for use in horses and dogs for the management of:

- Musculoskeletal inflammation (arthritis, tendinitis, bursitis)
- Allergic conditions (dermatitis, urticaria, respiratory allergies)
- · Shock and stress-related reactions
- Autoimmune and inflammatory diseases
- Supportive treatment in acute infections (alongside antibiotics).

#### **DOSAGE AND ADMINISTRATION**

SpeciesDosage RangeRouteHorses:0.05-0.1 mg/kg body weightIV or IMDogs:0.25-0.5 mg/kg body weightIM

Shake well before use. Use sterile equipment only.

### **PRECAUTIONS:**

- Avoid use in animals with systemic fungal or viral infections.
- Do not mix with other injections in the same syringe.
- Prolonged or repeated use may cause adrenal suppression or metabolic effects.
- Use only under veterinary supervision.

### STORAGE:

Store below 25°C. Protect from light and freezing. Keep out of reach of children.

#### PRESENTATION:

Multidose vial - 50 ml.

### **MANUFACTURER:**

Credence Remedies Pvt. Ltd.
Office No. 313, 3rd Floor, Puranik Capitol,
Behind Vijay Park, Kasarvadavali, Ghodbunder Rd,
Thane (W) – 400615, Maharashtra, India.